

Terveellisen smoothien koostaminen

Arranz S, Martínez-Huéamo M, Vallverdu-Queralt A, Valderas-Martinez P, Illán M, Sacanella E, Escribano E, Estruch R, Lamuela-Raventos RM. Influence of olive oil on carotenoid absorption from tomato juice and effects on postprandial lipemia. *Food Chem* 2015;168:203-10.

Blacker SM, Chadwick RG. An in vitro investigation of the erosive potential of smoothies. *Br Dent J* 2013;214(4):E9.

Crapo PA, Henry RR. Postprandial metabolic responses to the influence of food form. *Am J Clin Nutr* 1988;48(3):560-4.

DiMeglio DP, Mattes RD. Liquid versus solid carbohydrate: effects on food intake and body weight.

Int J Obes Relat Metab Disord 2000;24(6):794-800.

Jones LV, Jones KM, Hensman C, Bertuch R, McGee TL, Dixon JB. Solid versus liquid-satiety study in well-adjusted lap-band patients. *Obes Surg* 2013;23(8):1266-72.

Juvonen KR, Purhonen AK, Salmenkallio-Marttila M, Lähteenmäki L, Laaksonen DE, Herzig KH, Uusitupa MI, Poutanen KS, Karhunen LJ. Viscosity of oat bran-enriched beverages influences gastrointestinal hormonal responses in healthy humans. *J Nutr* 2009;139(3):461-6.

Mourao DM, Bressan J, Campbell WW, Mattes RD. Effects of food form on appetite and energy intake in lean and obese young adults. *Int J Obes* 2007;31(11):1688-95.

Stull AJ, Cash KC, Champagne CM, Gupta AK, Boston R, Beyl RA, Johnson WD, Cefalu WT. Blueberries improve endothelial function, but not blood pressure, in adults with metabolic syndrome: a randomized, double-blind, placebo-controlled clinical trial. *Nutrients* 2015;7(6):4107-23.

Tahmassebi JF, Kandiah P, Sukeri S. The effects of fruit smoothies on enamel erosion. *Eur Arch Paediatr Dent* 2014;15(3):175-81.

Tan KW, Graf BA, Mitra SR, Stephen ID. Daily Consumption of a Fruit and Vegetable Smoothie Alters Facial Skin Color. *PLoS One* 2015;10(7):e0133445.

Terveyden ja hyvinvoinnin laitos. Finravinto 2012 -tutkimus. THL Raportti 16/2013. Helsinki 2013.

Valtion ravitsemusneuvottelukunta. Terveytä ruoasta – suomalaiset ravitsemussuositukset 2014. Helsinki 2014.

Zhu Y, Hollis JH. Soup consumption is associated with a reduced risk of overweight and obesity but not metabolic syndrome in US adults: NHANES 2003-2006. PLoS One. 2013 Sep 30;8(9):e75630.

Zhu Y, Hsu WH, Hollis JH. Increased number of chews during a fixed-amount meal suppresses postprandial appetite and modulates glycemic response in older males. Physiol Behav 2014;133:136-40.

Zhu Y, Hsu WH, Hollis JH. The effect of food form on satiety. Int J Food Sci Nutr 2013;64(4):385-91.

Zhu Y, Hsu WH, Hollis JH. The impact of food viscosity on eating rate, subjective appetite, glycemic response and gastric emptying rate. PLoS One 2013;8(6):e67482.

Energiaravintoaineet ja niiden saantisuositukset

Anthony A, Boirie Y. Associations between food and beverage groups and major diet-related chronic diseases: an exhaustive review of pooled/meta-analyses and systematic reviews. Nutr Rev 2014;72(12):741-762.

Hu T, Mills KT, Yao L, Demanelis K, Eloustaz M, Yancy WS Jr, Kelly TN, Bazzano LA. Effects of low-carbohydrate diets versus low-fat diets on metabolic risk factors: a meta-analysis of randomized controlled clinical trials. Am J Epidemiol 2012;176(suppl7), S44-S54.

Ilander O, Lindblad P. Proteiini – lihaskehityksen laukaisija. Kirjassa Ilander O, toim. Liikuntaravitsemus. Lahti: VK-kustannus Oy, s. 193-226.

Johnston B, Kanters S, Bandayrel K, Wu P, Naji F, Siemieniuk RA, Ball GD, Busse JW, Thorlund K, Guyatt G, Jansen JP, Mills EJ. Comparison of weight loss among named diet programs in overweight and obese adults: a meta-analysis. JAMA 2014;312(9):923-933.

McDonald, L. The Ketogenic Diet. Austin 1998.

Naude C, Schoonees A, Senekal M, Young T, Garner P, Volmink J. Low carbohydrate versus isoenergetic balanced diets for reducing weight and cardiovascular risk: a systematic review and meta-analysis. *PLoS One* 2014;9(7):e100652.

Nordic Council of Ministers. Nordic Nutrition Recommendations 2012 Part 2: Energy, fat and fatty acids, carbohydrates, protein, alcohol, fluid and water balance and physical activity. Kööpenhamina 2014.

Olubukola A, English P, Pinkney J. Systematic review and meta-analysis of different dietary approaches to the management of type 2 diabetes. *Am J Clin Nutr* 2013;97(3):505-516.

Santesso N, Akl EA, Bianchi M, Mente A, Mustafa R, Heels-Ansdell D, Schünemann HJ. Effects of higher-versus lower-protein diets on health outcomes: a systematic review and meta-analysis. *Eur J Clin Nutr* 2012;66(7): 780-788.

Schwingshackl L, Hoffmann L. Long-term effects of low-fat diets either low or high in protein on cardiovascular and metabolic risk factors: a systematic review and meta-analysis. *Nutr J* 2013;12(1):1.

Valtion ravitsemusneuvottelukunta. Terveytä ruoasta – suomalaiset ravitsemussuositukset 2014. Helsinki 2014.

Wycherley T, Moran LJ, Clifton PM, Noakes M, Brinkworth GD. Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. *Am J Clin Nutr* 2012;96(6):1281–1298.

Mikroravintoaineet: vitamiinit, kivennäisaineet ja fytokemikaalit

Aro A, Mutanen M, Uusitupa M. Ravitsemustiede. Helsinki: Duodecim 2014.

Fineli. Elintarvikkeiden koostumustietopankki. Helsinki: Terveten ja hyvinvoinnin laitos, ravitsemusyksikkö. <http://www.fineli.fi> (katsottu 15.4.2016).

United States Department of Agriculture. National Nutrient Database for Standard Reference Release 27. <http://ndb.nal.usda.gov/ndb/search> (katsottu 15.4.2016)

Valtion ravitsemusneuvottelukunta. Terveytä ruoasta – Suomalaiset ravitsemussuositukset 2014. Helsinki: Juvenes Oy 2014.

Hyvä ruokailurytmi

Alhussain M, Macdonald IA, Taylor MA. Irregular meal-pattern effects on energy expenditure, metabolism, and appetite regulation: a randomized controlled trial in healthy normal-weight women. *Am J Clin Nutr* 2016;104(1):21-32.

Betts J, Richardson JD, Chowdhury EA, Holman GD, Tsintzas K, Thompson D. The causal role of breakfast in energy balance and health: a randomized controlled trial in lean adults. *Am J Clin Nutr* 2014;100(2): 539-547.

Chowdhury E, Richardson JD, Holman GD, Tsintzas K, Thompson, D, Betts J. The causal role of breakfast in energy balance and health: a randomized controlled trial in obese adults. *Am J Clin Nutr* 2016;103(3): 747-756.

Dhurandhar E, Dawson J, Alcorn A, Larsen LH, Thomas EA, Cardel M, Bourland AC, Astrup A, St-Onge M, O Hill J, Apovian CM, Shikany JM, Allison DB. The effectiveness of breakfast recommendations on weight loss: a randomized controlled trial. *Am J Clin Nutr* 2014;100(2): 507-513.

Jakubowicz D, Wainstein J, Ahren B, Landau Z, Bar-Dayan Y, Froy O. Fasting until noon triggers increased postprandial hyperglycemia and impaired insulin response after lunch and dinner in individuals with type 2 diabetes: a randomized clinical trial. *Diabetes Care* 2015;38(10): 1820-1826.

Kant A, Graubard BI. Within-person comparison of eating behaviors, time of eating, and dietary intake on days with and without breakfast: NHANES 2005–2010. *Am J Clin Nutr* 2015;102(3): 661–670.

Reeves S, Huber JW, Halsey LG, Horabady-Farahani Y, Ijadi M, Smith T. Experimental manipulation of breakfast in normal and overweight/obese participants is associated with changes to nutrient and energy intake consumption patterns. *Physiol Behav* 2014;133: 130-135.

Schlundt D, Hill JO, Sbrocco T, Pope-Cordle J, Sharp T. The role of breakfast in the treatment of obesity: a randomized clinical trial. *Am J Clin Nutr* 1992;55(3): 645-651.

Schoenfeld B, Aragon AA, Krieger JW. Effects of meal frequency on weight loss and body composition: a meta-analysis. Nutr Rev 2015;73(2): 69-82.

Suomen hammaslääkäriliitto. Terveelliset ruokatottumukset.
<http://www.hammaslaakariliitto.fi/fi/suunterveys/yleistietoasunterveydesta/ravinto-ja-suunterveys/terveelliset-ruokatottumukset#.V7YLTCiLSUk> (katsottu 13.8.2016).

Superfoodit – huuhaata vai terveyttä

Aburto NJ, Ziolkovska A, Hooper L, Elliott P, Cappuccio FP, Meerpohl JJ. Effect of lower sodium intake on health: systematic review and meta-analyses. BMJ 2013;346:f1326.

Amagase H, Nance DM. A randomized, double-blind, placebo-controlled, clinical study of the general effects of a standardized Lycium barbarum (Goji) Juice, GoChi. J Altern Complement Med 2008;14(4):403-12.

Amagase H, Sun B, Borek C. Lycium barbarum (goji) juice improves in vivo antioxidant biomarkers in serum of healthy adults. Nutr Res 2009;29(1):19-25.

Angus DJ, Hargreaves M, Dancey J, Febbraio MA. Effect of carbohydrate or carbohydrate plus medium-chain triglyceride ingestion on cycling time trial performance. J Appl Physiol 2000;88(1):113-9.

Aramwit P, Petcharat K, Supasyndh O. Efficacy of mulberry leaf tablets in patients with mild dyslipidemia. Phytother Res 2011;25(3):365-9.

Aro A. Natrium ja verenpaine. Kirjassa Aro A, Mutanen M, Uusitupa M, toim. Ravitsemustiede. Helsinki: Kustannus Oy Duodecim 2015, s. 301.

Barmaki S, Bohlooli S, Khoshkhahesh F, Nakhostin-Roohi B. Effect of methylsulfonylmethane supplementation on exercise – Induced muscle damage and total antioxidant capacity. J Sports Med Phys Fitness 2012;52(2):170-4.

Beil FU, Grundy SM. Studies on plasma lipoproteins during absorption of exogenous lecithin in man. J Lipid Res 1980;21(5):525-36.

Bucheli P, Vidal K, Shen L, Gu Z, Zhang C, Miller LE, Wang J. Goji berry effects on macular characteristics and plasma antioxidant levels. *Optom Vis Sci* 2011;88(2):257-62.

Bueno NB, de Melo IV, Florêncio TT, Sawaya AL. Dietary medium-chain triacylglycerols versus long-chain triacylglycerols for body composition in adults: systematic review and meta-analysis of randomized controlled trials. *J Am Coll Nutr* 2015;34(2):175-83.

Cai H, Liu F, Zuo P, Huang G, Song Z, Wang T, Lu H, Guo F, Han C, Sun G. Practical Application of Antidiabetic Efficacy of *Lycium barbarum* Polysaccharide in Patients with Type 2 Diabetes. *Med Chem* 2015;11(4):383-90.

Debbi EM, Agar G, Fichman G, Ziv YB, Kardosh R, Halperin N, Elbaz A, Beer Y, Debi R. Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: a randomized controlled study. *BMC Complement Altern Med* 2011;11:50.

Dording CM, Fisher L, Papakostas G, Farabaugh A, Sonawalla S, Fava M, Mischoulon D. A double-blind, randomized, pilot dose-finding study of maca root (*L. meyenii*) for the management of SSRI-induced sexual dysfunction. *CNS Neurosci Ther* 2008;14(3):182-91.

Eyres L, Eyres MF, Chisholm A, Brown RC. Coconut oil consumption and cardiovascular risk factors in humans. *Nutr Rev* 2016;74(4):267-80.

Fineli. Elintarvikkeiden koostumustietopankki. Helsinki: Terveyden ja hyvinvoinnin laitos, ravitsemusyksikkö. <http://www.fineli.fi> (katsottu 12.8.2016).

Goedecke JH, Clark VR, Noakes TD, Lambert EV. The effects of medium-chain triacylglycerol and carbohydrate ingestion on ultra-endurance exercise performance. *Int J Sport Nutr Exerc Metab* 2005;15(1):15-27.

Higgins JP, Flicker L. Lecithin for dementia and cognitive impairment. *Cochrane Database Syst Rev* 2003;(3):CD001015.

Hooper L, Kay C, Abdelhamid A, Kroon PA, Cohn JS, Rimm EB, Cassidy A. Effects of chocolate, cocoa, and flavan-3-ols on cardiovascular health: a

systematic review and meta-analysis of randomized trials. Am J Clin Nutr 2012;95(3):740-51.

Horowitz JF, Mora-Rodriguez R, Byerley LO, Coyle EF. Preexercise medium-chain triglyceride ingestion does not alter muscle glycogen use during exercise. J Appl Physiol 2000;88(1):219-25.

Kalafati M, Jamurtas AZ, Nikolaidis MG, Paschalis V, Theodorou AA, Sakellariou GK, Koutedakis Y, Kouretas D. Ergogenic and antioxidant effects of spirulina supplementation in humans. Med Sci Sports Exerc 2010;42(1):142-51.

Kim LS, Axelrod LJ, Howard P, Buratovich N, Waters RF. Efficacy of methylsulfonylmethane (MSM) in osteoarthritis pain of the knee: a pilot clinical trial. Osteoarthritis Cartilage 2006;14(3):286-94.

Knuiman JT, Beynen AC, Katan MB. Lecithin intake and serum cholesterol. Am J Clin Nutr 1989;49(2):266-8.

Kwok CS, Boekholdt SM, Lentjes MA, Loke YK, Luben RN, Yeong JK, Wareham NJ, Myint PK, Khaw KT. Habitual chocolate consumption and risk of cardiovascular disease among healthy men and women. Heart 2015;101(16):1279-87.

Lähti A, Riihinen K, Kainulainen P. Analysis of Anthocyanin Variation in Wild Populations of Bilberry (*Vaccinium myrtillus* L.) in Finland. J Agric Food Chem 2008;56:190-196.

Lääkärilehti. Pakurikääpä on uskomuslääkinnän uusi hitti. Verkkojulkaisu, päivitetty 31.8.2012.

Larsson SC, Virtamo J, Wolk A. Chocolate consumption and risk of stroke: a prospective cohort of men and meta-analysis. Neurology 2012;79(12):1223-9.

Li XY, Cai XL, Bian PD, Hu LR. High salt intake and stroke: meta-analysis of the epidemiologic evidence. CNS Neurosci Ther 2012;18(8):691-701.

Liu K, Zhou R, Wang B, Chen K, Shi LY, Zhu JD, Mi MT. Effect of green tea on glucose control and insulin sensitivity: a meta-analysis of 17 randomized controlled trials. Am J Clin Nutr 2013;98(2):340-8.

Michalczyk M, Macura R, Matuszak I. The effect of air-drying, freeze-drying and storage on the quality and antioxidant activity of some selected berries. *J Food Process Preserv* 2009;33(1):11-21.

Mizoguchi T, Takehara I, Masuzawa T, Saito T, Naoki Y. Nutrigenomic studies of effects of Chlorella on subjects with high-risk factors for lifestyle-related disease. *J Med Food* 2008;11(3):395-404.

Mourad AM, de Carvalho Pincinato E, Mazzola PG, Sabha M, Moriel P. Influence of soy lecithin administration on hypercholesterolemia. *Cholesterol* 2010;2010:824813.

Mumme K, Stonehouse W. Effects of medium-chain triglycerides on weight loss and body composition: a meta-analysis of randomized controlled trials. *J Acad Nutr Diet* 2015;115(2):249-63.

Nakano S, Takekoshi H, Nakano M. Chlorella (*Chlorella pyrenoidosa*) supplementation decreases dioxin and increases immunoglobulin a concentrations in breast milk. *J Med Food* 2007;10(1):134-42.

Nakano S, Takekoshi H, Nakano M. Chlorella pyrenoidosa supplementation reduces the risk of anemia, proteinuria and edema in pregnant women. *Plant Foods Hum Nutr* 2010;65(1):25-30.

Nakhostin-Roohi B1, Barmaki S, Khoshkhahesh F, Bohlooli S. Effect of chronic supplementation with methylsulfonylmethane on oxidative stress following acute exercise in untrained healthy men. *J Pharm Pharmacol* 2011;63(10):1290-4.

New Zealand Heart Foundation. Coconut Oil and the Heart. Verkkojulkaisu, syyskuu 2014.

Ngo-Matip ME, Pieme CA, Azabji-Kenfack M, Moukette BM, Korosky E, Stefanini P, Ngogang JY, Mbofung CM. Impact of daily supplementation of *Spirulina platensis* on the immune system of naïve HIV-1 patients in Cameroon: a 12-months single blind, randomized, multicenter trial. *Nutr J* 2015;14:70.

Notarnicola A, Maccagnano G, Moretti L, Pesce V, Tafuri S, Fiore A, Moretti B. Methylsulfonylmethane and boswellic acids versus glucosamine sulfate in

the treatment of knee arthritis: Randomized trial. *Int J Immunopathol Pharmacol* 2016;29(1):140-6.

Panahi Y, Badeli R, Karami GR, Badeli Z, Sahebkar A. A randomized controlled trial of 6-week Chlorella vulgaris supplementation in patients with major depressive disorder. *Complement Ther Med* 2015;23(4):598-602.

Phimarn W¹ Wichaiyo K, Silpsavikul K, Sungthong B, Saramunee K. A meta-analysis of efficacy of Morus alba Linn. to improve blood glucose and lipid profile. *Eur J Nutr* 2016. doi:10.1007/s00394-016-1197-x

Rinne J, Scheinin M. Alzheimerin taudin lääkehoito. Kirjassa Lääketieteellinen farmakologia ja toksikologia. Helsinki: Kustannus Oy Duodecim 2014, s. 537-571.

Ryu NH, Lim Y, Park JE, Kim J, Kim JY, Kwon SW, Kwon O. Impact of daily Chlorella consumption on serum lipid and carotenoid profiles in mildly hypercholesterolemic adults: a double-blinded, randomized, placebo-controlled study. *Nutr J* 2014;13:57.

Stojanovska L, Law C, Lai B, Chung T, Nelson K, Day S, Apostolopoulos V, Haines C. Maca reduces blood pressure and depression, in a pilot study in postmenopausal women. *Climacteric* 2015;18(1):69-78.

Strazzullo P, D'Elia L, Kandala NB, Cappuccio FP. Salt intake, stroke, and cardiovascular disease: meta-analysis of prospective studies. *BMJ* 2009;339:b4567.

The hypolipidaemic effects of Spirulina (*Arthrospira platensis*) supplementation in a Cretan population: a prospective study. *J Sci Food Agric* 2014;94(3):432-7.

Tokede OA, Gaziano JM, Djoussé L. Effects of cocoa products/dark chocolate on serum lipids: a meta-analysis. *Eur J Clin Nutr* 2011;65(8):879-86.

Vistisen B, Nybo L, Xu X, Høy CE, Kiens B. Minor amounts of plasma medium-chain fatty acids and no improved time trial performance after consuming lipids. *J Appl Physiol* 2003;95(6):2434-43.

Zenico T, Cicero AF, Valmorri L, Mercuriali M, Bercovich E. Subjective effects of *Lepidium meyenii* (Maca) extract on well-being and sexual performances

in patients with mild erectile dysfunction: a randomised, double-blind clinical trial. *Andrologia* 2009;41(2):95-9.

Smoothiet ja niiden makeuttaminen

Bogdanov S, Jurendic T, Sieber R, Gallmann P. Honey for nutrition and health: a review. *J Am Coll Nutr* 2008;27(6): 677-689.

EFSA. Aspartame. <http://www.efsa.europa.eu/en/topics/topic/aspartame> (katsottu 21.8.2016).

Fineli. Elintarvikkeiden koostumustietopankki. Helsinki: Terveyden ja hyvinvoinnin laitos, ravitsemusyksikkö. <http://www.fineli.fi> (katsottu 20.8.2016).

Ilta-Sanomat. Nolla kaloria, mutta maha kasvaa? Tutkimus: Sokerittoman limsan litkiminen saattaaakin lihottaa roimasti – tässä selitys! <http://www.iltasanomat.fi/terveys/art-2000000894728.html> (katsottu 21.8.2016).

Miller P, Perez V. Low-calorie sweeteners and body weight and composition: a meta-analysis of randomized controlled trials and prospective cohort studies *Am J Clin Nutr* 2014;100(3): 765-777.

Rogers P, Hogenkamp PS, de Graaf C, Higgs S, Lluch A, Ness AR, Penfold C, Perry R, Putz P, Yeomans MR, Mela DJ. Does low-energy sweetener consumption affect energy intake and body weight? A systematic review, including meta-analyses, of the evidence from human and animal studies. *Int J Obes (Lond)* 2015;40(3):381–394.

United States Department of Agriculture. National Nutrient Database for Standard Reference Release 27. <http://ndb.nal.usda.gov/ndb/search> (katsottu 20.8.2016)

Valtion ravitsemusneuvottelukunta. Terveyttä ruoasta – suomalaiset ravitsemussuositukset 2014. Helsinki 2014.

Järkevä rasvan lähteet

Imamura F, Micha R, Wu JH, de Oliveira Otto MC, Otite FO, Abioye AI, Mozaffarian D. Effects of Saturated Fat, Polyunsaturated Fat, Monounsaturated Fat, and Carbohydrate on Glucose-Insulin Homeostasis: A

Systematic Review and Meta-analysis of Randomised Controlled Feeding Trials. PLoS Med 2016;13(7):e1002087.

Jallinoja P, Jauho M, Mäkelä J. Newspaper debates on milk fats and vegetable oils in Finland, 1978-2013: An analysis of conflicts over risks, expertise, evidence and pleasure. Appetite 2016;105:274-82.

Kokko S, Räsänen L. Nordic nutrition policies: Finland case study. Nutr Rev 1997;55(11 Pt 2):S21-8.

Ngandu T, Lehtisalo J, Solomon A, Levälahti E, Ahtiluoto S, Antikainen R, Bäckman L, Hänninen T, Jula A, Laatikainen T, Lindström J, Mangialasche F, Paajanen T, Pajala S, Peltonen M, Rauramaa R, Stigsdotter-Neely A, Strandberg T, Tuomilehto J, Soininen H, Kivipelto M. A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. Lancet 2015;385(9984):2255-63.

Nordic Council of Ministers. Nordic Nutrition Recommendations 2012. Kööpenhamina: Nordisk Ministerråd 2014.

Qian F, Korat AA, Malik V, Hu FB. Metabolic Effects of Monounsaturated Fatty Acid-Enriched Diets Compared With Carbohydrate or Polyunsaturated Fatty Acid-Enriched Diets in Patients With Type 2 Diabetes: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Diabetes Care 2016;39(8):1448-57.

Schwingshackl L, Christoph M, Hoffmann G. Effects of Olive Oil on Markers of Inflammation and Endothelial Function-A Systematic Review and Meta-Analysis. Nutrients 2015;7(9):7651-75.

Valtion ravitsemusneuvottelukunta. Terveyttä ruoasta – suomalaiset ravitsemussuositukset 2014. Tampere 2014.

Valtion ravitsemusneuvottelukunta. Valtion ravitsemusneuvottelukunnan historiikki.
<http://www.ravitsemusneuvottelukunta.fi/attachments/vrn/historiikki.pdf>
(katsottu 11.8.2016)

Terveyttä ruoasta vai purkista?

Bos C, Gaudichon C, Tomé D. Nutritional and physiological criteria in the assessment of milk protein quality for humans. *J Am Coll Nutr* 2000;19(2 Suppl): 191S-205S.

Carr, Anitra C., and Margreet Vissers. "Synthetic or food-derived vitamin C— are they equally bioavailable?" *Nutrients* 5.11 (2013): 4284-4304.

Fardet A, Boirie Y. Associations between food and beverage groups and major diet-related chronic diseases: an exhaustive review of pooled/meta-analyses and systematic reviews. *Nutr Rev* 2014;72(12): 741-762.

Fortmann S, Burda BU, Senger CA, Lin JS, Beil TL, O'Connor E, Whitlock EP. Vitamin and mineral supplements in the primary prevention of cardiovascular disease and cancer: an updated systematic evidence review for the US Preventive Services Task Force. *Ann Intern Med* 2013;159(12): 824-834.

Gaziano J, Sesso HD, Christen WG, Bubes V, Smith JP, MacFadyen J, Schwartz M, Manson JE, Glynn RJ, Buring JE. Multivitamins in the prevention of cancer in men: the Physicians' Health Study II randomized controlled trial. *JAMA* 2012;308(18): 1871-1880.

Ilander, O. Liikuntaravitsemus – tehoa, tuloksia ja terveyttä ruoasta. Lahti: VK-kustannus Oy 2014.

Lääkärilehti. Harvat suomalaiset saavat riittävästi jodia.
<http://www.laakarilehti.fi/ajassa/ajankohtaista/harvat-suomalaiset-saavat-riittavasti-jodia/> (katsottu 20.8.2016)

McGregor R, Poppitt SD. Milk protein for improved metabolic health: a review of the evidence. *Nutr Metab (Lond)* 2013;10(1):46.

National Institutes of Health. Calcium.
<https://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/#en1> (katsottu 15.8.2016).

Sheikh MS, Santa Ana CA, Nicar MJ, Schiller LR, Fordtran JS. Gastrointestinal absorption of calcium from milk and calcium salts. *N Engl J Med* 1987;317(9): 532-536.

Stratto J, Godwin M. The effect of supplemental vitamins and minerals on the development of prostate cancer: a systematic review and meta-analysis. Fam Pract 2011;28(3):243–252.

Terveyden ja hyvinvoinnin laitos. Finravinto 2012 -tutkimus. THL Raportti 16/2013. Helsinki 2013.

YLE. Ravintolisäkauppa käy myös laman keskellä – D-vitamiini, omega-3 ja maitohappobakteerit kirkkaasti myyntikärjessä.

[http://yle.fi/uutiset/ravintolisakauppa_kay_myos_laman_keskella_d-vitamiini_omega-](http://yle.fi/uutiset/ravintolisakauppa_kay_myos_laman_keskella_d-vitamiini_omega-3_ja_maitohappobakteerit_kirkkaasti_myyntikarjessa/8188262)

[3_ja_maitohappobakteerit_kirkkaasti_myyntikarjessa/8188262](#) (katsottu 7.8.2016).

Proteiinijauheiden esittely sekä eläin- ja kasvikunnan proteiinit

Babault N, Païzis C, Deley G, Guérin-Deremaux L, Saniez MH, Lefranc-Millot C, Allaert FA. Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, Placebo-controlled clinical trial vs. Whey protein. J Int Soc Sports Nutr 2015;12(1):3.

Ilander, O. Liikuntaravitsemus – tehoa, tuloksia ja terveyttä ruoasta. Lahti: VK-kustannus Oy 2014.

Joy J, Lowery RP, Wilson JM, Purpura M, De Souza EO, Wilson SM, Kalman DS, Dudeck JE, Jäger R. The effects of 8 weeks of whey or rice protein supplementation on body composition and exercise performance. Nutr J 2013;12(1):1.

Miller P, Alexander DD, Perez V. Effects of whey protein and resistance exercise on body composition: a meta-analysis of randomized controlled trials. J Am Coll Nutr 2014;33(2): 163-175.

Pulsin. Great Value Premium Soya Protein. <http://www.pulsin.co.uk/soya-protein-isolate.html> (katsottu 18.8.2016).

Selfnutritiondata. PROTEIN: Hemp Protein Powder, Trueprotein.com. <http://nutritiondata.self.com/facts/custom/546541/0> (katsottu 18.8.2016).

Supplementlabtest.com. Impact Whey Protein – Myprotein – Amino acid analysis + carbs and sugars by Supplementlabtest.com.

<http://www.supplementlabtest.com/tests/impact-whey-protein-myprotein-amino-acid-analysis-carbs-and-sugars-supplementlabtestcom> (katsottu 18.8.2016).

van Vliet S, Burd NA, van Loon LJ. The skeletal muscle anabolic response to plant-versus animal-based protein consumption. *J Nutr* 2015;145(9):1981-1991.

Maitotuotteiden korvaaminen kasvivaihtoehdolla

Evira. Arseeni ja riisi. Päivitetty 30.9.2015.

<http://www.evira.fi/portal/fi/tietoa+evirasta/asiakkokonaisuudet/vierasaineet/tietoa+vierasaineista/arseeni+ja+riisi/>

Fineli. Elintarvikkeiden koostumustietopankki. Helsinki: Terveyden ja hyvinvoinnin laitos, ravitsemusyksikkö. <http://www.fineli.fi> (katsottu 4.2.2016).

THL ja Valtion ravitsemusneuvottelukunta. Syödään yhdessä – ruokasuositukset lapsiperheille. Tampere: Juvenes Print – Suomen yliopistopaino 2016.

Valtion ravitsemusneuvottelukunta. Suositus – valtion ravitsemusneuvottelukunta suosittelee seuraavia toimenpiteitä väestön jordin saannin parantamiseksi. Julkaistu 10.2.2015.

http://www.ravitsemusneuvottelukunta.fi/files/attachments/fi/vrn/vrn_jodi_toimenpidesuositus_10.2.2015_suomi.pdf

Valtion ravitsemusneuvottelukunta. Jordin lähteet – Hyvän ruokavalion aineksia. Julkaistu 10.2.2015.

http://www.ravitsemusneuvottelukunta.fi/files/attachments/fi/vrn/jordin_saaanti_ruokavaliosta_lahteet_jodi_info_vrn_nettisivulle_2.pdf

Valtion ravitsemusneuvottelukunta. Terveyttä ruoasta – suomalaiset ravitsemussuositukset 2014. Tampere: Juvenes Print – Suomen yliopistopaino Oy 2014.

Pähkinöiden ja siementen terveysvaikutukset ja ravintoarvot

Bolling BW, Chen CY, McKay DL, Blumberg JB. Tree nut phytochemicals: composition, antioxidant capacity, bioactivity, impact factors. A systematic

review of almonds, Brazils, cashews, hazelnuts, macadamias, pecans, pine nuts, pistachios and walnuts. Nutr Res Rev 2011;24(2):244–75.

De Souza Ferreira C, De Sousa Fomes LF, Da Silva GE, Rosa G. Effect of chia seed (*salvia hispanica l.*) consumption on cardiovascular risk factors in humans: a systematic review. Nutr Hosp 2015;32(n05):1909–1918.

Del Gobbo LC, Falk MC, Feldman R, Lewis K, Mozaffarian D. Effects of tree nuts on blood lipids, apolipoproteins, and blood pressure: systematic review, meta-analysis, and dose-response of 61 controlled intervention trials. Am J Clin Nutr 2015;102(6):1347–56.

Evira. Usein kysyttyä vierasaineista. Päivitetty 19.1.2016.

<http://www.evira.fi/portal/fi/tietoa+evirasta/asiakkaisuudet/vierasaineet/usein+kysyttya/>

Fineli. Elintarvikkeiden koostumustietopankki. Helsinki: Terveyden ja hyvinvoinnin laitos, ravitsemusyksikkö. <http://www.fineli.fi> (katsottu 3.2.2016).

Khalesi S, Irwin C, Schubert M. Flaxseed consumption may reduce blood pressure: a systematic review and meta-analysis of controlled trials. J Nutr 2015;145(4):758–65.

Mohammadifard N, Salehi-Abargouei A, Salas-Salvadó J, Guasch-Ferré M, Humphries K, Sarrafzadegan N. The effect of tree nut, peanut, and soy nut consumption on blood pressure: a systematic review and meta-analysis of randomized controlled clinical trials. Am J Clin Nutr 2015;101(5):966–82.

National Nutrient Database for Standard Reference Release 28. United States Department of Agriculture, Agricultural Research Service. <http://ndb.nal.usda.gov/ndb/foods> (katsottu 3.2.2016).

Nordic Council of Ministers. Nordic Nutrition Recommendations 2012. Kööpenhamina: Nordisk Ministerråd 2014.

Pan A, Yu D, Demark-Wahnefried W, Franco OH, Lin X. Meta-analysis of the effects of flaxseed interventions on blood lipids. Am J Clin Nutr. 2009;90(2):288–97.

van den Brandt PA, Schouten LJ. Relationship of tree nut, peanut and peanut butter intake with total and cause-specific mortality: a cohort study and meta-analysis. *Int J Epidemiol* 2015;44(3):1038-49.

Valtion ravitsemusneuvottelukunta. Terveytä ruoasta – Suomalaiset ravitsemussuositukset 2014. Tampere: Juvenes Print – Suomen yliopistopaino Oy 2014.